THE

# MYSORE GAZETTE.

Published by Authority.

BANGALORE, SATURDAY, MAY 12, 1888.

☞ Separate paging is given to this Part in order that it may be filed as a separate compilation.

## PART IV.

## Official Papers.

### *Season Report for the Week ending 5th May* 1888.

| District. | Rain-fall at— | Inches. | Cents. | Price of food grains in seers per Rupee; and marked fluctuations in the prices of food grains. | Market now supplied. | Progress of agricultural operations, state of standing crops, prospects and probable out-turn of the harvests, serious damage done to crops by insects or other natural calamities. | Prospects of Season; tracts in which the rain-fall has been insufficient; areas affected by scarcity, number of people under relief, and state of food stocks. | Public Health. | Remarks as to the condition of agricultural stock, failure of pasturage or fodder, &c. |
|---|---|---|---|---|---|---|---|---|---|
| Bangalore ... | Bangalore C. & M. Stn. ... ... ... | | | This week. Last week. | Well. | Sugar-cane and paddy crops in good condition. Sugar-cane was sown in some places and harvested in some parts. Out-turn 8 to 12 annas. | Prospects of season good. | Good. | Water and fodder procurable. Cattle disease prevailed in parts. |
| | „ City & Tk... ... ... ... | | | | | | | | |
| | Hoskote ... ... ... ... | | | | | | | | |
| | Dodballapur ... ... ... ... | | | Rice 12 11. | | | | | |
| | Nelamangala ... ... ... ... | | | Ragi 36 37. | | | | | |
| | Kankanhalli ... ... ... ... | | | (*Eleusine corocana.*) | | | | | |
| | Magadi ... ... ... ... | | | Horse-gram 23½ 29. | | | | | |
| | Closepet ... ... ... ... | | | (*Ciser aridinum.*) | | | | | |
| | Aneka! ... ... ... ... | | | | | | | | |
| | Devanhalli ... ... ... ... | | | | | | | | |
| | Channapatna ... ... ... ... | | | | | | | | |
| Kolar ... | Kolar ... ... ... ... | | | Rice 12 to 16 12 to 16. | Do | Standing crops fair. | Do | Do | Do do |
| | Doweingpet ... ... ... ... | | | Ragi 45 to 48 40 to 48. | | | | | |
| | Chintamani ... ... ... ... | | | (*Eleusine corocana.*) | | | | | |
| | Mulbagal ... ... ... ... | | | Horse-gram 28 to 30 24 to 28. | | | | | |
| | Sidlaghatta ... ... ... ... | | | (*Ciser arietinum.*) | | | | | |
| | Chikballapur ... ... ... ... | | | | | | | | |
| | Bagepalli ... ... ... ... | | | | | | | | |
| | Goribidnur ... ... ... ... | | | | | | | | |
| | Malur ... ... ... ... | | | | | | | | |
| | Srinivaspur ... ... ... ... | | | | | | | | |
| | Gudibanda ... ... ... ... | | | | | | | | |
| Tumkur ... | Tumkur ... ... ... ... | | | Rice 14 to 16 14 to 16. | Do | Standing crops generally in good condition. Sugar-cane, gingelly or sesamum and great millet were sown in parts. Paddy, sugar-cane, and millet were harvested in parts. Out-turn 1 to 12 annas. | Do | Do | Fodder and water procurable. |
| | Maddagiri ... ... ... ... | | | Ragi 45 to 56 45 to 56. | | | | | |
| | Chiknayakanhalli ... ... ... ... | | | (*Eleusine corocana.*) | | | | | |
| | Sira ... ... ... ... | | | Horse-gram 32 to 40 32 to 40. | | | | | |
| | Gubbi ... ... ... ... | | | (*Ciser arietinum.*) | | | | | |
| | Tiptur ... ... ... ... | | | | | | | | |
| | Pavagada ... ... ... ... | | | | | | | | |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| sore | Mysore ... ... ... | | Rice 12 to 16 12 to 16. | Do | Ploughing and sowing operations in progress. Standing crops in fair condition. Rice, sugar-cane, great millet, sesamum and black and green gram sown in parts. Rain needed. | Do | Do | Drinking water and fodder diminished in parts. |
| | Chamarajnagar ... ... | 10 | Ragi 32 to 44 32 to 40. | | | | | |
| | Seringapatam ... ... ... | | (*Eleusine corocana.*) | | | | | |
| | Hunsur ... ... ... | | Horse- | | | | | |
| | Yedatore ... ... ... | | gram 28 to 40 29 to 36. | | | | | |
| | Heggaddevankote ... ... | | (*Ciser arietinum.*) | | | | | |
| | Gundlupet ... ... | 45 | | | | | | |
| | Nanjangud ... ... ... | | | | | | | |
| | T. Narsipur ... ... ... | | | | | | | |
| | Malvalli ... ... ... | | | | | | | |
| | Mandya ... ... ... | | | | | | | |
| | Attikuppa ... ... ... | | | | | | | |
| | Nagamangala ... ... ... | | | | | | | |
| ssan ... | Hassan ... ... ... | | Rice 16 | Do | Sugar-cane and paddy thriving well. Coffee buds and paddy withering for want of rain in the Manjarabad Taluk. Rain much needed. Agricultural operations are retarded. | Do | Do | Water and fodder scanty in the Manjarabad Taluk. |
| | Manjarabad ... ... ... | | Ragi 44 | | | | | |
| | Arkalgud ... ... ... | | (*Eleusine corocana.*) | | | | | |
| | Belur ... ... ... | | Horse- | | | | | |
| | Chamarayapatna. ... ... | | gram 24 | | | | | |
| | Arsikere ... ... ... | | (*Ciser arietinum.*) | | | | | |
| | Holé-Narsipur ... ... ... | | | | | | | |
| himoga ... | Shimoga ... ... ... | | Rice 13 to 16 15 to 16. | Do | Newly planted sugar-cane in good condition. Paddy and sugar-cane sown in some Talaks. | Do | Small-pox, fever & long affections prevailed. | Water and fodder supply ample. |
| | Chennagiri ... ... ... | | Ragi 32 to 60 55 to 64. | | | | | |
| | Honnali ... ... ... | | (*Eleusine corocana.*) | | | | | |
| | Shikarpur ... ... ... | | Jola 33 to 52 35 to 55. | | | | | |
| | Sorab ... ... ... | | (*Sorghum Vulgare.*) | | | | | |
| | Sagar ... ... ... | | | | | | | |
| | Nagar ... ... ... | | | | | | | |
| | Tirthahalli ... ... ... | | | | | | | |
| | Kumsi ... ... ... | | | | | | | |
| Kadur ... | Chikmagalur ... ... ... | | Rice 13 to 22 13 to 22. | Do | Standing crops generally in good condition. Pepper and cotton were harvested in parts. | Do | Fever and small-pox prevailed. | Water and fodder ample. Cattle disease prevailed in parts. |
| | Kadur ... ... ... | | Ragi 31 to 50 31 to 51. | | | | | |
| | Tarikere ... ... ... | | (*Eleusine corocana.*) | | | | | |
| | Koppa ... ... ... | | Horse- | | | | | |
| | Mudgere ... ... ... | | gram 22 to 30 22 to 30. | | | | | |
| | Yedahalli ... ... ... | | (*Ciser arietinum.*) | | | | | |
| Chitaldroog. | Chitaldroog ... ... ... | | Rice 12 to 14 12 to 14. | Do | Standing crops in good condition. Rice, cotton and sugar-cane were harvested. | Do | Small-pox prevailed in parts. | Murrain among cattle prevailed in parts. |
| | Challakere ... ... ... | | Ragi 40 to 67 44 to 67. | | | | | |
| | Hiriyur ... ... ... | | (*Eleusine corocana.*) | | | | | |
| | Holalkere ... ... ... | | Jola 36 to 48 36 to 48. | | | | | |
| | Davangere ... ... ... | | (*Sorghum Vulgare.*) | | | | | |
| | Molakalmuru ... ... ... | | | | | | | |
| | Jagalur ... ... ... | | | | | | | |
| | Hosdurga ... ... ... | | | | | | | |

By Order,

C. MADIAH,
*Under-Secretary.*

THE

# MYSORE GAZETTE.

Published by Authority.

BANGALORE, SATURDAY, MAY 19, 1888.

☞ Separate paging is given to this Part in order that it may be filed as a separate compilation.

## PART IV.

## Official Papers.

### *Season Report for the Week ending 12th May 1888.*

| District. | Rain-fall as— | Inches. | Cents. | Price of food grains in seers per Rupee; and marked fluctuations in the prices of food grains. | Market how supplied. | Progress of agricultural operations, state of standing crops, prospects and probable outturn of the harvests, serious damage done to crops by insects or other natural calamities. | Prospects of Season; tracts in which the rain-fall has been insufficient; areas affected by scarcity, number of people under relief, and state of food stocks. | Public Health. | Remarks as to the condition of agricultural stock, future of pasturage or fodder, &c. |
|---|---|---|---|---|---|---|---|---|---|
| **Bangalore** ... | Bangalore C. & M. Stn. ... | 2 | 45 | This week. Past week. | Well. | Fields were ploughed. Sugar-cane crops in good condition. Sugar-cane and paddy crops in good condition. The sunn was sown in some places. Sugar-cane harvested in some parts. Out-turn 8 to 12 annas. | Prospects of season good. | Small-pox and ague prevailed in some parts. | Water and fodder procurable. Murrain among cattle prevailed in some parts. |
| | " City & Tk... | 1 | 40 | | | | | | |
| | Hoskote ... | ... | ... | | | | | | |
| | Dodballapur ... | 2 | 95 | Rice 12 12. | | | | | |
| | Nelamangala ... | 1 | 14 | Ragi 36 36. | | | | | |
| | Kankanhalli ... | ... | ... | (*Eleusine corocana.*) | | | | | |
| | Magadi ... | 4 | 4 | Horse- | | | | | |
| | Closepet ... | 1 | 70 | gram 27 20½. | | | | | |
| | Anekal ... | 1 | 75 | (*Cicer arietinum.*) | | | | | |
| | Devanhalli ... | 3 | ... | | | | | | |
| | Channapatna ... | ... | ... | | | | | | |
| **Kolar** ... | Kolar ... | 3 | 77 | Rice 12 to 16 12 to 16. | Do | Standing crops in good condition. | Do | Good. | Water and fodder procurable. |
| | Bowringpet ... | 2 | 90 | Ragi 45 to 48 45 to 48. | | | | | |
| | Chintamani ... | 2 | 65 | (*Eleusine corocana.*) | | | | | |
| | Malbagal ... | 4 | 45 | Horse- | | | | | |
| | Sidlaghatta ... | 2 | 82 | gram 25 to 32 28 to 30. | | | | | |
| | Chikballapur ... | 2 | 10 | (*Cicer arietinum.*) | | | | | |
| | Bagepalli ... | 2 | ... | | | | | | |
| | Goritidnur ... | 1 | 75 | | | | | | |
| | Malur ... | 1 | 90 | | | | | | |
| | Srinivaspur ... | 5 | 85 | | | | | | |
| | Gudibanda ... | ... | ... | | | | | | |
| **Tumkur** ... | Tumkur ... | 1 | 15 | Rice 13 to 16 14 to 16. | Do | Standing crops generally in good condition. Paddy harvested in parts. Sugar-cane sown in some places. Ploughing and manuring in pro... Out-turn 2 to 12 annas. | Do | Small-pox prevailed in parts. | Fodder and water procurable. Cattle disease prevailed. |
| | Madagiri ... | 1 | 45 | Ragi 45 to 56 45 to 56. | | | | | |
| | Jnayakanhalli. ... | ... | ... | (*Eleusine corocana.*) | | | | | |
| | ... ... | ... | 43 | Horse- | | | | | |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | [illegible] | ... | ... | 75 | | | | | |
| | T[illegible]rekere | ... | 2 | 22½ | | | | | |
| | Hullyur | ... | ... | 50 | | | | | |
| **Mysore** ... | Mysore | ... | 1 | 45 | Rice 11 to 16 12 to 16. | Do | Standing crops generally in good condition. Great millet, sesamum, eleusine corocana and pigeon pea were sown. Sugar-cane harvested in some parts. Ploughing and sowing operations in progress. | Do | Fever abating in some places. | Drinking water and pasturage procurable. |
| | Chamarajnagar | ... | ... | 40 | Ragi 32 to 60 32 to 60. | | | | | |
| | Seringapatam | ... | 1 | 2 | (*Eleusine corocana.*) | | | | | |
| | Hunsur | ... | ... | 55 | Horse- | | | | | |
| | Yedatore | ... | ... | 73 | gram 28 to 40 28 to 40. | | | | | |
| | Heggaddevankote. | ... | ... | 90 | (*Cicer arietinum.*) | | | | | |
| | Gundlupet | ... | ... | 60 | | | | | | |
| | Nanjangud | ... | 1 | 40 | | | | | | |
| | T. Narsipur | ... | 1 | 31 | | | | | | |
| | Malvalli | ... | 2 | 5 | | | | | | |
| | Mandya | ... | ... | 30 | | | | | | |
| | Attikuppa | ... | ... | 47 | | | | | | |
| | Nagamangala | ... | 1 | 5 | | | | | | |
| **Hassan** ... | Hassan | ... | ... | 40 | Rice 16 | Do | Sugar-cane and paddy in good condition. Paddy and eleusine corocana were sown in some places. | Do | Fever, ague, dysentery and small-pox of a virulent type in the Manjarabad Taluk. | ..... |
| | Manjarabad | ... | ... | 93 | Ragi 42 | | | | | |
| | Arkalgud | ... | ... | ... | (*Eleusine corocana.*) | | | | | |
| | Belur | ... | ... | 30 | Horse- | | | | | |
| | Chamarayapatna. | ... | ... | 20 | gram 24 | | | | | |
| | Arsikere | ... | ... | 17 | (*Cicer arietinum.*) | | | | | |
| | Holé-Narsipur | ... | ... | ... | | | | | | |
| **Shimoga** ... | Shimoga | ... | ... | ... | Rice 13 to 16 13 to 16. | Do | Paddy and sugar-cane in good condition and the same were sown in some Taluks. Paddy harvested in Nagar. | Do | Small-pox, fever & lung affections prevailed. | Murrain and throat disease among cattle prevailed. |
| | Chantagiri | ... | ... | ... | Ragi 32 to 60 32 to 60. | | | | | |
| | Honnali | ... | ... | 30 | (*Eleusine corocana.*) | | | | | |
| | Shikarpur | ... | ... | .. | Jola 32 to 52 32 to 52. | | | | | |
| | Sorab | ... | ... | ... | (*Sorghum Vulgare.*) | | | | | |
| | Sagar | ... | ... | ... | | | | | | |
| | Nagar | ... | ... | ... | | | | | | |
| | Tirthahalli | ... | ... | ... | | | | | | |
| | Kumsi | ... | ... | ... | | | | | | |
| **Kadur** ... | Chikmagalur | ... | ... | 15 | Rice 18 to 22 18 to 22. | Do | Standing crops generally in good condition. | Do | Fever and small-pox prevailed in parts. | Water and fodder ample. |
| | Kadur | ... | ... | ... | Ragi 31 to 50 31 to 50. | | | | | |
| | Tarikere | ... | ... | ... | (*Eleusine corocana.*) | | | | | |
| | Koppa | ... | ... | ... | Horse- | | | | | |
| | Mudgere | ... | ... | ... | gram 16 to 30 22 to 30. | | | | | |
| | Yedahalli | ... | ... | ... | (*Cicer arietinum.*) | | | | | |
| **Chitaldroog.** | Chitaldroog | ... | 3 | 55 | Rice 12 to 14 12 to 14. | Do | Standing crops in good condition. Rice, cotton and sugar-cane were harvested in some parts. | Do | Generally good. | ..... |
| | Challakere | ... | 10 | 35 | Ragi 44 to 67 44 to 67. | | | | | |
| | Hiriyur | ... | ... | 80 | (*Eleusine corocana.*) | | | | | |
| | Holalkere | ... | 1 | 16 | Jola 36 to 48 36 to 48. | | | | | |
| | Davangere | ... | ... | ... | (*Sorghum Vulgare.*) | | | | | |
| | Molakalmuru | ... | ... | 60 | | | | | | |
| | Jagalur | ... | 1 | 18 | | | | | | |
| | Hosdurga | ... | ... | ... | | | | | | |

By Order,

C. MADHAM,
*Under-Secretary.*